

New Jersey Division of HIV/AIDS Services
Persons Living with HIV/AIDS as of June 30, 2004
Atlantic City Residents

1. Current HIV/AIDS Category	Adult/Adolescent *		Pediatric *		Total	
	Cases	%	Cases	%	Cases	%
-----	-----	---	-----	---	-----	---
AIDS-Any OI	124	15	0	0	124	15
AIDS-CD4 Only	#	#	#	#	288	34
HIV Only	#	#	#	#	431	51
-----	-----	---	-----	---	-----	---
Total	841	100	#	#	843	100

Current			3. Race/Eth.	Adult/Adl*		Pediatric*		Total	
Age *	Cases	%		Cases	%	Cases	%	Cases	%
-----	-----	---	-----	-----	---	-----	---	-----	---
<5	0	0	White, Not Hispanic	#	#	#	#	132	16
5-12	#	#	Black, Not Hispanic	#	#	#	#	557	66
13-19	#	#	Hispanic	144	17	0	0	144	17
20-29	23	3	Other/Unknown	10	1	0	0	10	1
30-39	198	23	-----	-----	---	-----	---	-----	---
40-49	377	45	Total	841	100	#	#	843	100
50+	242	29							
Unk.	0	0							
-----	-----	---							
Total	843	100							

4. Patient Group	Adult/Adolescent Transmission Modes **					
	Males	%	Females	%	Total	%
-----	-----	---	-----	---	-----	---
Men sex with men (MSM)	147	25	0	0	147	17
Injection drug user (IDU)	259	44	144	56	403	48
MSM/IDU	36	6	0	0	36	4
Heterosexual contact	57	10	64	25	121	14
Risk not reported/other***	86	15	48	19	134	16
-----	-----	---	-----	---	-----	---
Total	585	100	256	100	841	100

	Pediatric Transmission Modes					
	Males	%	Females	%	Total	%
-----	-----	---	-----	---	-----	---
Parent at risk/has AIDS/HIV	#	#	#	#	#	#
Risk not reported/other***	0	0	0	.	0	0
-----	-----	---	-----	---	-----	---
Total	#	#	#	#	#	#

NOTE: Includes only those persons known to be infected with HIV.

Indicates that number is not shown due to small cell size,
in accordance with NJDHSS security and confidentiality policies.

* Classification based on current age at the end of June 2004.

** 0 patients are currently of adult/adolescent age (13+ years old), but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1,2, and 3, and as pediatric reports in table 4.

*** Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services
AIDS Cases Reported as of June 30, 2004
Atlantic City Residents

1. Disease Category	Adult/Adolescent*		Deaths (%)	Pediatric*		Deaths (%)	Total	
	Cases	(%)		Cases	(%)		Cases	(%)
PCP	#	(#)	#	(#)	#	(#)	200	(21)
Other OI w/o PCP	#	(#)	#	(#)	#	(#)	284	(29)
KS Alone	11	(1)	6	(0)	0	(.)	11	(1)
No Disease Listed	468	(49)	180	(0)	0	(.)	468	(49)
Total	957	(100)	545	(58)	6	(100)	963	(100)

2. Age *	Cases	%	3. Race/Eth.	Adult/Adl* Cases	%	Pediatric* Cases	%	Total Cases	%
Under 5	5	1	White, Not Hispanic	#	#	#	#	188	20
5-12	#	#	Black, Not Hispanic	#	#	#	#	650	67
13-19	#	#	Hispanic	120	13	0	0	120	12
20-29	140	15	Other/Unknown	5	1	0	0	5	1
30-39	390	40							
40-49	311	32	Total	957	100	6	100	963	100
Over 49	115	12							
Unknown	0	0							
Total	963	100							

4. Patient Group	Adult/Adolescent Transmission Modes **				Total	%
	Males	%	Females	%		
Men sex with men (MSM)	198	27	0	0	198	21
Injection drug user (IDU)	356	49	156	67	512	54
MSM/IDU	58	8	0	0	58	6
Heterosexual contact	34	5	41	18	75	8
Risk not reported/other***	77	11	37	16	114	12
Total	723	100	234	100	957	100

	Pediatric Transmission Modes				Total	%
	Males	%	Females	%		
Parent at risk/has AIDS/HIV	#	#	#	#	6	100
Risk not reported/other***	0	0	0	0	0	0
Total	#	#	#	#	6	100

indicates that number is not shown due to small cell size,
in accordance with NJDHSS security and confidentiality policies.

* Classification at time of AIDS diagnosis.

** 0 patients were diagnosed with AIDS as adults, but have evidence either of having been HIV-infected or of having acquired AIDS as children. They are counted as adult/adolescent reports in tables 1,2, and 3; and as pediatric reports in table 4.

*** Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services
AIDS Cases Reported as of June 30, 2004
Atlantic City Residents

5. AIDS Cases by Year of Diagnosis.

Year of Diagnosis -----	Number of Cases -----	Number of Deaths -----	Case-Fatality Rate -----
Before 1985	5	5	100%
1985	#	#	#
1986	5	5	100%
1987	7	7	100%
1988	31	27	87%
1989	70	61	87%
1990	71	58	82%
1991	56	49	88%
1992	84	68	81%
1993	90	67	74%
1994	76	37	49%
1995	92	45	49%
1996	64	27	42%
1997	65	21	32%
1998	46	20	43%
1999	47	22	47%
2000	39	11	28%
2001	45	9	20%
2002	25	#	#
2003	30	5	17%
2004	11	0	0%
-----	-----	-----	-----
Total	963	551	57%

New Jersey Division of HIV/AIDS Services
HIV INFECTION-not-AIDS Reports with Identifiers Reported as of June 30, 2004
Atlantic City Residents

1. Age *	Cases	%	2. Race/Ethnicity	Adult/Adl* Cases	%	Pediatric* Cases	%	Total Cases	%
-----	-----	---	-----	-----	---	-----	---	-----	---
Under 5	#	#	White, Not Hispanic	#	#	#	#	77	15
5-12	#	#	Black, Not Hispanic	#	#	#	#	327	66
13-19	9	2	Hispanic	87	17	0	0	87	17
20-29	108	22	Other/Unknown	9	2	0	0	9	2
30-39	211	42	-----	-----	---	-----	---	-----	---
40-49	142	28	Total	498	100	#	#	500	100
Over 49	28	6							
Unknown	0	0							
-----	-----	---							
Total	500	100							

3. Patient Group	Adult/Adolescent Transmission Modes **					
	Males	%	Females	%	Total	%
-----	-----	---	-----	---	-----	---
Men sex with men (MSM)	83	25	0	0	83	17
Injection drug user (IDU)	151	46	92	55	243	49
MSM/IDU	18	5	0	0	18	4
Heterosexual contact	36	11	47	28	83	17
Risk not reported/other***	42	13	29	17	71	14
-----	-----	---	-----	---	-----	---
Total	330	100	168	100	498	100

	Pediatric Transmission Modes					
	Males	%	Females	%	Total	%
-----	-----	---	-----	---	-----	---
Parent at risk/has AIDS/HIV	#	#	#	#	#	#
Risk not reported/other***	0	0	0	.	0	0
-----	-----	---	-----	---	-----	---
Total	#	#	#	#	#	#

* Classification at time of first HIV+ test or at time of report if not yet confirmed HIV+.

indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.

** 0 patients were diagnosed with HIV as adults, but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1 and 2; and as pediatric reports in table 3.

*** Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

NOTE: These tables include those reports of HIV Positive infection that have not yet been updated to AIDS status. Not included in these tables are cases initially reported as HIV-not-AIDS that have subsequently been updated to AIDS. Also not included in these tables are HIV Perinatal Exposure Reports where the serostatus of the child is not confirmed HIV Positive; i.e., the HIV serostatus of the child is undetermined or has been found to be negative (seroreverted).

New Jersey Division of HIV/AIDS Services
HIV/AIDS Cases Reported as of June 30, 2004
Atlantic City Residents

1. Current HIV/AIDS Category	Adult/Adolescent *		Pediatric *		Total	
	Cases	%	Cases	%	Cases	%
-----	-----	---	-----	---	-----	---
AIDS-Any OI	489	34	6	75	495	34
AIDS-CD4 Only	#	#	#	#	468	32
HIV Only	#	#	#	#	500	34
-----	-----	---	-----	---	-----	---
Total	1455	100	8	100	1463	100

2. Age *	Cases	%	3. Race/Eth.	Adult/Adl*		Pediatric*		Total	
-----	-----	---	-----	Cases	%	Cases	%	Cases	%
Under 5	#	#	White, Not Hispanic	#	#	#	#	265	18
5-12	#	#	Black, Not Hispanic	#	#	#	#	977	67
13-19	14	1	Hispanic	207	14	0	0	207	14
20-29	292	20	Other/Unknown	14	1	0	0	14	1
30-39	623	43	-----	-----	---	-----	---	-----	---
40-49	404	28	Total	1455	100	8	100	1463	100
Over 49	122	8							
Unknown	0	0							
-----	-----	---							
Total	1463	100							

4. Patient Group	Adult/Adolescent Transmission Modes **					
	Males	%	Females	%	Total	%
-----	-----	---	-----	---	-----	---
Men sex with men (MSM)	281	27	0	0	281	19
Injection drug user (IDU)	507	48	248	62	755	52
MSM/IDU	76	7	0	0	76	5
Heterosexual contact	70	7	88	22	158	11
Risk not reported/other***	119	11	66	16	185	13
-----	-----	---	-----	---	-----	---
Total	1053	100	402	100	1455	100

	Pediatric Transmission Modes				Total	%
	Males	%	Females	%		
-----	-----	---	-----	---	-----	---
Parent at risk/has AIDS/HIV	#	#	#	#	8	100
Risk not reported/other***	0	0	0	0	0	0
-----	-----	---	-----	---	-----	---
Total	#	#	#	#	8	100

NOTE: Includes only those persons known to be infected with HIV.

Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.

* Classification at time of first HIV+/AIDS diagnosis.

** 0 patients were diagnosed with HIV/AIDS as adults, but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1,2 and 3; and as pediatric reports in table 4.

*** Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services
HIV/AIDS Cases Reported as of June 30, 2004
Atlantic City Residents

5. HIV/AIDS Cases by Year of First HIV/AIDS Diagnosis.

Year of First HIV/AIDS Diagnosis	Number of Cases	Number Known Dead	Case-Fatality Rate
-----	-----	-----	-----
Before 1985	10	8	80%
1985	9	7	78%
1986	13	9	69%
1987	23	16	70%
1988	63	43	68%
1989	92	75	82%
1990	124	87	70%
1991	98	70	71%
1992	167	66	40%
1993	121	42	35%
1994	141	49	35%
1995	112	46	41%
1996	81	21	26%
1997	96	25	26%
1998	62	19	31%
1999	55	14	25%
2000	52	6	12%
2001	65	10	15%
2002	29	#	#
2003	45	#	#
2004	5	0	0%
-----	-----	-----	-----
Total	1463	620	42%